

EQUINOX TEST REPORT

Report Issue date: 24-Apr-23

Reference Number : EQNX:001:LAB: F:23:03:07888-R2

INFORMATION PROVIDED BY CUSTOMER

Client Name : Zorabian Chicks Pvt. Ltd. Sampling Location : Khopoli
 Address : Mankivali Village, Tal.- Khalapur, Dist.- Raigad Khalapur, Maharashtra, India - 410202. Sample Description : Whole Chicken
 Contact Person : Uday Gurav

PARTICULARS OF SAMPLE ANALYSED

Sampling Protocol : NA Date of Sampling : NA
 Sample Collected By : Equinox Labs - Nilesh Sitaram Bagal (25/03/2023) Date of Receipt : 29-Mar-23
 Sample Quantity & Condition : Approx 1279g of sample in a client packaging is intact without any leaks or breaks. Date of Start of Analysis : 29-Mar-23
 Date of End of Analysis : 5-Apr-23

RESULTS OF ANALYSIS

Discipline: Chemical

Group: Residue In Food & Agriculture Products

Sr.No.	Parameters	Units	Methods	Results of Analysis	Limits of Detection	FSSAI Limits
Antibiotics						
1	Nitrofurans - Nitrofurantoin Furazolidone Nitrofurazone Furaltadone	µg/kg	Inhouse Method	Not Detected	0.5	NMT 10
2	Chloropromazine	µg/kg	Inhouse Method	Not Detected	10.00	NMT 10
3	Colchicine	µg/kg	Inhouse Method	Not Detected	10	NMT 10
4	Dapsone	µg/kg	Inhouse Method	Not Detected	10	NMT 10
5	Dimetridazole	µg/kg	Inhouse Method	Not Detected	0.5	NMT 10
6	Metronidazole	µg/kg	Inhouse Method	Not Detected	0.5	NMT 10
7	Ronidazole	µg/kg	Inhouse Method	Not Detected	0.5	NMT 10
8	Iprnidazole and other nitromidazoles	µg/kg	Inhouse Method	Not Detected	0.5	NMT 10
9	Clenbuterol	µg/kg	Inhouse Method	Not Detected	1.0	NMT 10
10	Diethylstilbestrol	µg/kg	Inhouse Method	Not Detected	10	NMT 10
11	Glycopeptides	µg/kg	Inhouse Method	Not Detected	10	NMT 10
12	Stilbenes and other steroids	µg/kg	Inhouse Method	Not Detected	0.5	NMT 10
13	Crystal Violet	ug/kg	Inhouse Method	Not Detected	1.52	NMT 10
14	Malachite Green Carbadox	ug/kg	Inhouse Method	Not Detected	1.0	NMT 10
15	Suflamethoxazole	µg/kg	Inhouse Method	Not Detected	10	NMT 10
16	Chloroform	ug/kg	Inhouse Method	Not Detected	1.0	NMT 10
17	Chloramphenicol	ug/kg	Inhouse Method	Not Detected	0.15	NMT 0.3

NMT = Not More Than
 NLT = Not Less Than

Remark : The tested parameters Conforms to the FSSAI Limits.



Quality Manager
 (Authorised Signatory)
 Mrs Manisha Kharade

Note:

- This report is valid for the tested sample only.
- Test report shall not be reproduced except in full & with written approval of Equinox Labs Private Limited.
- This report should not be used for advertisement /judicial purpose.
- The samples has been provided by the customer and results applied to the sample as received by the lab.
- The information provided by customer can affect the validity of results.
- This report is issued in lieu of the report number F:23:03:07888 R1 dated 15-04-2023

Your Testing and Auditing Partner